




101. SYNTHETIC COVERPLATE
1 mm




102. 'SANDWICH' COVERPLATE
2 x 0,5 mm




111. CHASE PLATE
In hardened and ground 2 mm inox




**119. CUTTING CHASE CLOSED
WITH QUICK-LOCK**
(modification)




**133. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)**
1 mm




**135. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)**
1,25 mm




**137. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)**
1,5 mm




**139. HARD CUTTING PLATE
(HRC 48/HV 500)**
In ground inox
1,4 mm




**141. HARD CUTTING PLATE
(HRC 48/HV 500)**
In ground inox
1 mm




**153. HARD CUTTING PLATE
(HRC 50/HV 525)**
In hardened and ground inox
5 mm




160. SUPPORT PLATE
In hardened and ground inox
4 mm




**175. SYNTHETIC BED/RESOCELL
PLATE**
15 mm




101. SYNTHETIC COVERPLATE
1 mm




102. 'SANDWICH' COVERPLATE
2 x 0,5 mm




103. SYNTHETIC COVERPLATE
2 mm (open cutting chase)




111. CHASE PLATE
In hardened and ground 2 mm inox




112. CHASE PLATE
In hardened and ground 2 mm inox
Bobst quick-lock




**119. CUTTING CHASE CLOSED
WITH QUICK-LOCK**
(modification)




**121. CHASE PLATE FOR OPEN
CUTTING CHASE**
Hardened steel 1 mm




**133. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)**
1 mm




**135. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)**
1,25 mm



**137. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)**
1,5 mm



**139. HARD CUTTING PLATE
(HRC 48/HV 500)**
In ground inox
1,4 mm




**141. HARD CUTTING PLATE
(HRC 48/HV 500)**
In ground inox
1 mm

BOBST SP 102-E/SE/E-II, SPERIA 102, 102 EVOLINE

CUTTING CHASES, SYSTEMS AND CUTTING PLATES




T +31-164-67 44 49 | E info@perivo.com | www.perivo.com




147. MICROMETRIC CONVERSION FOR 1 MM CUTTING PLATES

Including 2 micrometric blocks, special bushes and plate nr. 159




152. HARD CUTTING PLATE (HRC 50/HV 525)

In hardened and ground inox 4 mm




159. SUPPORT PLATE

In hardened and ground inox 3 mm




178. SYNTHETIC BED/RESOCELL PLATE


23,5 mm




191. CHASELOADER




101. SYNTHETIC COVERPLATE
1 mm




102. 'SANDWICH' COVERPLATE
2 x 0,5 mm




111. CHASE PLATE
In hardened and ground 2 mm inox




112. CHASE PLATE
In hardened and ground 2 mm inox
Bobst quick-lock




**119. CUTTING CHASE CLOSED
WITH QUICK-LOCK**
(modification)




**133. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)**
1 mm




**135. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)**
1,25 mm




**137. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)**
1,5 mm




**139. HARD CUTTING PLATE
(HRC 48/HV 500)**
In ground inox
1,4 mm




**141. HARD CUTTING PLATE
(HRC 48/HV 500)**
In ground inox
1 mm



**147. MICROMETRIC CONVERSION
FOR 1 MM CUTTING PLATES**
Including 2 micrometric blocks, special
bushes and plate nr. 160 or 161




**153. HARD CUTTING PLATE
(HRC 50/HV 525)**
In hardened and ground inox
5 mm




160. SUPPORT PLATE

In hardened and ground inox
4 mm




161. SUPPORT PLATE

In hardened and ground inox
4 mm with vacuum




**171. SYNTHETIC BED/RESOCELL
PLATE**

11 mm



**172. SYNTHETIC BED/RESOCELL
PLATE**

11 mm with vacuum




191. CHASELOADER

BOBST SP 103-E/ER


CUTTING CHASES, SYSTEMS AND CUTTING PLATES




T +31-164-67 44 49 | E info@perivo.com | www.perivo.com




101. SYNTHETIC COVERPLATE
1 mm




102. 'SANDWICH' COVERPLATE
2 x 0,5 mm




111. CHASE PLATE
In hardened and ground 2 mm inox




112. CHASE PLATE
In hardened and ground 2 mm inox
Bobst quick-lock




119. CUTTING CHASE CLOSED WITH QUICK-LOCK
(modification)




133. MEDIUM HARD CUTTING PLATE (HRC 35/HV 345)
1 mm




135. MEDIUM HARD CUTTING PLATE (HRC 35/HV 345)
1,25 mm




137. MEDIUM HARD CUTTING PLATE (HRC 35/HV 345)
1,5 mm




139. HARD CUTTING PLATE (HRC 48/HV 500)
In ground inox
1,4 mm



141. HARD CUTTING PLATE (HRC 48/HV 500)
In ground inox
1 mm



147. MICROMETRIC CONVERSION FOR 1 MM CUTTING PLATES
Including 2 micrometric blocks, special bushes and plate nr. 160




153. HARD CUTTING PLATE (HRC 50/HV 525)
In hardened and ground inox
5 mm

BOBST SP 103-E/ER

CUTTING CHASES, SYSTEMS AND CUTTING PLATES




T +31-164-67 44 49 | E info@perivo.com | www.perivo.com



160. SUPPORT PLATE

In hardened and ground inox
4 mm




191. CHASELOADER

BOBST SP 104-E/ER


CUTTING CHASES, SYSTEMS AND CUTTING PLATES




T +31-164-67 44 49 | E info@perivo.com | www.perivo.com




101. SYNTHETIC COVERPLATE
1 mm




102. 'SANDWICH' COVERPLATE
2 x 0,5 mm




111. CHASE PLATE
In hardened and ground 2 mm inox




112. CHASE PLATE
In hardened and ground 2 mm inox
Bobst quick-lock




**119. CUTTING CHASE CLOSED
WITH QUICK-LOCK**
(modification)




**133. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)**
1 mm




**135. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)**
1,25 mm




**137. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)**
1,5 mm




**139. HARD CUTTING PLATE
(HRC 48/HV 500)**
In ground inox
1,4 mm



**141. HARD CUTTING PLATE
(HRC 48/HV 500)**
In ground inox
1 mm



**153. HARD CUTTING PLATE
(HRC 50/HV 525)**
In hardened and ground inox
5 mm




160. SUPPORT PLATE
In hardened and ground inox
4 mm

BOBST SP 104-E/ER


CUTTING CHASES, SYSTEMS AND CUTTING PLATES



T +31-164-67 44 49 | E info@perivo.com | www.perivo.com



**176. SYNTHETIC BED/RESOCELL
PLATE**
22,5 mm




191. CHASELOADER

BOBST COMMERCIAL 106, NOVACUT/SPERIA 106-E


CUTTING CHASES, SYSTEMS AND CUTTING PLATES




T +31-164-67 44 49 | E info@perivo.com | www.perivo.com




101. SYNTHETIC COVERPLATE
1 mm




102. 'SANDWICH' COVERPLATE
2 x 0,5 mm




111. CHASE PLATE
In hardened and ground 2 mm inox




112. CHASE PLATE
In hardened and ground 2 mm inox
Bobst quick-lock




**119. CUTTING CHASE CLOSED
WITH QUICK-LOCK**
(modification)




**133. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)**
1 mm




**135. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)**
1,25 mm




**137. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)**
1,5 mm




**139. HARD CUTTING PLATE
(HRC 48/HV 500)**
In ground inox
1,4 mm



**141. HARD CUTTING PLATE
(HRC 48/HV 500)**
In ground inox
1 mm



**153. HARD CUTTING PLATE
(HRC 50/HV 525)**
In hardened and ground inox
5 mm




160. SUPPORT PLATE
In hardened and ground inox
4 mm


BOBST COMMERCIAL 106, NOVACUT/SPERIA 106-E
CUTTING CHASES, SYSTEMS AND CUTTING PLATES



T +31-164-67 44 49 | E info@perivo.com | www.perivo.com



**176. SYNTHETIC BED/RESOCELL
PLATE**
22,5 mm




191. CHASELOADER

**BOBST VISIONCUT/EXPERTCUT/
MASTERCUT 106-LE/LER/PE/PER,
SPANThERA/SPRINTERA 106-LE/LER/PER**


CUTTING CHASES, SYSTEMS AND CUTTING PLATES




T +31-164-67 44 49 | E info@perivo.com | www.perivo.com




101. SYNTHETIC COVERPLATE
1 mm




102. 'SANDWICH' COVERPLATE
2 x 0,5 mm




111. CHASE PLATE
In hardened and ground 2 mm inox




**133. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)**
1 mm




**135. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)**
1,25 mm




**137. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)**
1,5 mm




**139. HARD CUTTING PLATE
(HRC 48/HV 500)**
In ground inox
1,4 mm




**141. HARD CUTTING PLATE
(HRC 48/HV 500)**
In ground inox
1 mm




**151. HARD CUTTING PLATE
(HRC 50/HV 525)**
In hardened and ground inox
3 mm



**153. HARD CUTTING PLATE
(HRC 50/HV 525)**
In hardened and ground inox
5 mm



161. SUPPORT PLATE
In hardened and ground inox
4 mm




163. SUPPORT PLATE
In hardened and ground inox
2 mm with vacuum

**BOBST VISIONCUT/EXPERTCUT/
MASTERCUT 106-LE/LER/PE/PER,
SPANThERA/SPRINTERA 106-LE/LER/PER**

CUTTING CHASES, SYSTEMS AND CUTTING PLATES




T +31-164-67 44 49 | E info@perivo.com | www.perivo.com




**173. SYNTHETIC BED/RESOCELL
PLATE**


12 mm




191. CHASELOADER




101. SYNTHETIC COVERPLATE
1 mm




102. 'SANDWICH' COVERPLATE
2 x 0,5 mm




111. CHASE PLATE
In hardened and ground 2 mm inox




112. CHASE PLATE
In hardened and ground 2 mm inox
Bobst quick-lock




**119. CUTTING CHASE CLOSED
WITH QUICK-LOCK**
(modification)




**133. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)**
1 mm




**135. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)**
1,25 mm




**137. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)**
1,5 mm




**139. HARD CUTTING PLATE
(HRC 48/HV 500)**
In ground inox
1,4 mm




**141. HARD CUTTING PLATE
(HRC 48/HV 500)**
In ground inox
1 mm




**147. MICROMETRIC CONVERSION
FOR 1 MM CUTTING PLATES**
Including 2 micrometric blocks, special
bushes and plate nr. 160




**153. HARD CUTTING PLATE
(HRC 50/HV 525)**
In hardened and ground inox
5 mm




160. SUPPORT PLATE
In hardened and ground inox
4 mm




**176. SYNTHETIC BED/RESOCELL
PLATE**
22,5 mm




191. CHASELOADER




101. SYNTHETIC COVERPLATE
1 mm




102. 'SANDWICH' COVERPLATE
2 x 0,5 mm




111. CHASE PLATE
In hardened and ground 2 mm inox




112. CHASE PLATE
In hardened and ground 2 mm inox
Bobst quick-lock




**119. CUTTING CHASE CLOSED
WITH QUICK-LOCK**
(modification)




**133. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)**
1 mm




**135. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)**
1,25 mm




**137. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)**
1,5 mm




**139. HARD CUTTING PLATE
(HRC 48/HV 500)**
In ground inox
1,4 mm



**141. HARD CUTTING PLATE
(HRC 48/HV 500)**
In ground inox
1 mm



**147. MICROMETRIC CONVERSION
FOR 1 MM CUTTING PLATES**
Including 2 micrometric blocks, special
bushes and plate nr. 158, 160 or 161




**151. HARD CUTTING PLATE
(HRC 50/HV 525)**
In hardened and ground inox
3 mm

**BOBST NOVACUT/SPERIA 142-E,
SP 142-E/ER/CER/CERII**


CUTTING CHASES, SYSTEMS AND CUTTING PLATES




T +31-164-67 44 49 | E info@perivo.com | www.perivo.com




**153. HARD CUTTING PLATE
(HRC 50/HV 525)**
In hardened and ground inox
5 mm




158. SUPPORT PLATE
In hardened and ground inox
2,2 mm




160. SUPPORT PLATE
In hardened and ground inox
4 mm




161. SUPPORT PLATE
In hardened and ground inox
4 mm with vacuum




**176. SYNTHETIC BED/RESOCELL
PLATE**
22,5 mm



**177. SYNTHETIC BED/RESOCELL
PLATE**
22,5 mm with vacuum



**179. SYNTHETIC BED/RESOCELL
PLATE**
24,5 mm




191. CHASELOADER

BOBST EXPERTCUT/MASTERCUT 145-PER, SPANThERA/SPRINTERA 145-PER


CUTTING CHASES, SYSTEMS AND CUTTING PLATES




T +31-164-67 44 49 | E info@perivo.com | www.perivo.com




101. SYNTHETIC COVERPLATE
1 mm




102. 'SANDWICH' COVERPLATE
2 x 0,5 mm




111. CHASE PLATE
In hardened and ground 2 mm inox




**133. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)**
1 mm




**135. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)**
1,25 mm




**137. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)**
1,5 mm




**139. HARD CUTTING PLATE
(HRC 48/HV 500)**
In ground inox
1,4 mm




**141. HARD CUTTING PLATE
(HRC 48/HV 500)**
In ground inox
1 mm




**153. HARD CUTTING PLATE
(HRC 50/HV 525)**
In hardened and ground inox
5 mm



161. SUPPORT PLATE
In hardened and ground inox
4 mm with vacuum



175. SYNTHETIC BED/RESOCELL PLATE
17 mm




191. CHASELOADER

BOBST SP 162-CE/CER


CUTTING CHASES, SYSTEMS AND CUTTING PLATES




T +31-164-67 44 49 | E info@perivo.com | www.perivo.com




101. SYNTHETIC COVERPLATE
1 mm




102. 'SANDWICH' COVERPLATE
2 x 0,5 mm




111. CHASE PLATE
In hardened and ground 2 mm inox




112. CHASE PLATE
In hardened and ground 2 mm inox
Bobst quick-lock




**119. CUTTING CHASE CLOSED
WITH QUICK-LOCK**
(modification)




**133. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)**
1 mm




**135. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)**
1,25 mm




**137. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)**
1,5 mm




**139. HARD CUTTING PLATE
(HRC 48/HV 500)**
In ground inox
1,4 mm



**141. HARD CUTTING PLATE
(HRC 48/HV 500)**
In ground inox
1 mm



**147. MICROMETRIC CONVERSION
FOR 1 MM CUTTING PLATES**
Including 2 micrometric blocks, special
bushes and plate nr. 160 or 161




**153. HARD CUTTING PLATE
(HRC 50/HV 525)**
In hardened and ground inox
5 mm

BOBST SP 162-CE/CER

CUTTING CHASES, SYSTEMS AND CUTTING PLATES




T +31-164-67 44 49 | E info@perivo.com | www.perivo.com




160. SUPPORT PLATE

In hardened and ground inox
4 mm




161. SUPPORT PLATE

In hardened and ground inox
4 mm with vacuum




176. SYNTHETIC BED/RESOCELL PLATE

22,5 mm



177. SYNTHETIC BED/RESOCELL PLATE

22,5 mm with vacuum




191. CHASELOADER

BOBST SP 900

CUTTING CHASES, SYSTEMS AND CUTTING PLATES




T +31-164-67 44 49 | E info@perivo.com | www.perivo.com




121. CHASE PLATE FOR OPEN CUTTING CHASE

Hardened steel 1 mm




133. MEDIUM HARD CUTTING PLATE (HRC 35/HV 345)

1 mm




135. MEDIUM HARD CUTTING PLATE (HRC 35/HV 345)

1,25 mm




137. MEDIUM HARD CUTTING PLATE (HRC 35/HV 345)

1,5 mm




139. HARD CUTTING PLATE (HRC 48/HV 500)

In ground inox
1,4 mm




141. HARD CUTTING PLATE (HRC 48/HV 500)

In ground inox
1 mm




148. MICROMETRIC CONVERSION FOR 1 MM CUTTING PLATES

Including ALU resocell plate with built-in micrometric system and plate nr. 159




153. HARD CUTTING PLATE (HRC 50/HV 525)

In hardened and ground inox
5 mm



159. SUPPORT PLATE

In hardened and ground inox
3 mm



178. SYNTHETIC BED/RESOCELL PLATE


23 mm

BOBST SP 1080


CUTTING CHASES, SYSTEMS AND CUTTING PLATES




T +31-164-67 44 49 | E info@perivo.com | www.perivo.com




101. SYNTHETIC COVERPLATE
1 mm




121. CHASE PLATE FOR OPEN CUTTING CHASE
Hardened steel 1 mm




133. MEDIUM HARD CUTTING PLATE (HRC 35/HV 345)
1 mm




135. MEDIUM HARD CUTTING PLATE (HRC 35/HV 345)
1,25 mm




137. MEDIUM HARD CUTTING PLATE (HRC 35/HV 345)
1,5 mm




139. HARD CUTTING PLATE (HRC 48/HV 500)
In ground inox
1,4 mm




141. HARD CUTTING PLATE (HRC 48/HV 500)
In ground inox
1 mm




148. MICROMETRIC CONVERSION FOR 1 MM CUTTING PLATES
Including ALU resocell plate with built-in micrometric system and plate nr. 159



153. HARD CUTTING PLATE (HRC 50/HV 525)
In hardened and ground inox
5 mm



159. SUPPORT PLATE
In hardened and ground inox
3 mm




178. SYNTHETIC BED/RESOCELL PLATE
23,5 mm

BOBST SP 1120


CUTTING CHASES, SYSTEMS AND CUTTING PLATES




T +31-164-67 44 49 | E info@perivo.com | www.perivo.com




101. SYNTHETIC COVERPLATE
1 mm




102. 'SANDWICH' COVERPLATE
2 x 0,5 mm




111. CHASE PLATE
In hardened and ground 2 mm inox




119. CUTTING CHASE CLOSED WITH QUICK-LOCK
(modification)




133. MEDIUM HARD CUTTING PLATE (HRC 35/HV 345)
1 mm




135. MEDIUM HARD CUTTING PLATE (HRC 35/HV 345)
1,25 mm




137. MEDIUM HARD CUTTING PLATE (HRC 35/HV 345)
1,5 mm




139. HARD CUTTING PLATE (HRC 48/HV 500)
In ground inox
1,4 mm




141. HARD CUTTING PLATE (HRC 48/HV 500)
In ground inox
1 mm



147. MICROMETRIC CONVERSION FOR 1 MM CUTTING PLATES
Including 2 micrometric blocks, special bushes and plate nr. 158



151. HARD CUTTING PLATE (HRC 50/HV 525)
In hardened and ground inox
3 mm




158. SUPPORT PLATE
In hardened and ground inox
2,2 mm

BOBST SP 1120


CUTTING CHASES, SYSTEMS AND CUTTING PLATES



T +31-164-67 44 49 | E info@perivo.com | www.perivo.com



**178. SYNTHETIC BED/RESOCELL
PLATE**
23 mm




191. CHASELOADER

BOBST SP 1260


CUTTING CHASES, SYSTEMS AND CUTTING PLATES




T +31-164-67 44 49 | E info@perivo.com | www.perivo.com




104. SYNTHETIC COVERPLATE
4,2 mm




111. CHASE PLATE
In hardened and ground 2 mm inox




119. CUTTING CHASE CLOSED WITH QUICK-LOCK
(modification)




133. MEDIUM HARD CUTTING PLATE (HRC 35/HV 345)
1 mm




135. MEDIUM HARD CUTTING PLATE (HRC 35/HV 345)
1,25 mm




137. MEDIUM HARD CUTTING PLATE (HRC 35/HV 345)
1,5 mm




139. HARD CUTTING PLATE (HRC 48/HV 500)
In ground inox
1,4 mm




141. HARD CUTTING PLATE (HRC 48/HV 500)
In ground inox
1 mm




147. MICROMETRIC CONVERSION FOR 1 MM CUTTING PLATES
Including 2 micrometric blocks, special bushes and plate nr. 160



153. HARD CUTTING PLATE (HRC 50/HV 525)
In hardened and ground inox
5 mm



160. SUPPORT PLATE
In hardened and ground inox
4 mm




180. SYNTHETIC BED/RESOCELL PLATE
25,5 mm

BOBST SP 1420-E/ER


CUTTING CHASES, SYSTEMS AND CUTTING PLATES




T +31-164-67 44 49 | E info@perivo.com | www.perivo.com




101. SYNTHETIC COVERPLATE
1 mm




102. 'SANDWICH' COVERPLATE
2 x 0,5 mm




111. CHASE PLATE
In hardened and ground 2 mm inox




119. CUTTING CHASE CLOSED WITH QUICK-LOCK
(modification)




133. MEDIUM HARD CUTTING PLATE (HRC 35/HV 345)
1 mm




135. MEDIUM HARD CUTTING PLATE (HRC 35/HV 345)
1,25 mm




137. MEDIUM HARD CUTTING PLATE (HRC 35/HV 345)
1,5 mm




139. HARD CUTTING PLATE (HRC 48/HV 500)
In ground inox
1,4 mm




141. HARD CUTTING PLATE (HRC 48/HV 500)
In ground inox
1 mm



147. MICROMETRIC CONVERSION FOR 1 MM CUTTING PLATES
Including 2 micrometric blocks, special bushes and plate nr. 158



151. HARD CUTTING PLATE (HRC 50/HV 525)
In hardened and ground inox
3 mm




158. SUPPORT PLATE
In hardened and ground inox
2,2 mm

BOBST SP 1420-E/ER


CUTTING CHASES, SYSTEMS AND CUTTING PLATES



T +31-164-67 44 49 | E info@perivo.com | www.perivo.com



**179. SYNTHETIC BED/RESOCELL
PLATE**
24,5 mm




191. CHASELOADER

SP 1600-E/ER


CUTTING CHASES, SYSTEMS AND CUTTING PLATES




T +31-164-67 44 49 | E info@perivo.com | www.perivo.com




101. SYNTHETIC COVERPLATE
1 mm




102. 'SANDWICH' COVERPLATE
2 x 0,5 mm




133. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)
1 mm




135. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)
1,25 mm




137. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)
1,5 mm




139. HARD CUTTING PLATE
(HRC 48/HV 500)
In ground inox
1,4 mm




141. HARD CUTTING PLATE
(HRC 48/HV 500)
In ground inox
1 mm




147. MICROMETRIC CONVERSION
FOR 1 MM CUTTING PLATES
Including 2 micrometric blocks, special
bushes and plate nr. 159



152. HARD CUTTING PLATE
(HRC 50/HV 525)
In hardened and ground inox
4 mm



159. SUPPORT PLATE
In hardened and ground inox
3 mm




179. SYNTHETIC BED/RESOCELL
PLATE
24,5 mm

BOBST SPO 1575 EEG

CUTTING CHASES, SYSTEMS AND CUTTING PLATES




T +31-164-67 44 49 | E info@perivo.com | www.perivo.com




116. CHASE PLATE

In hardened and ground 6,5 mm inox




117. CHASE PLATE

In hardened and ground 6,5 mm inox
With threaded holes




133. MEDIUM HARD CUTTING PLATE (HRC 35/HV 345)

1 mm




135. MEDIUM HARD CUTTING PLATE (HRC 35/HV 345)

1,25 mm




137. MEDIUM HARD CUTTING PLATE (HRC 35/HV 345)

1,5 mm




139. HARD CUTTING PLATE (HRC 48/HV 500)

In ground inox
1,4 mm




141. HARD CUTTING PLATE (HRC 48/HV 500)

In ground inox
1 mm



155. HARD CUTTING PLATE (HRC 50/HV 525)

In hardened and ground inox
6,4 mm



162. SUPPORT PLATE


In hardened and ground inox
5,4 mm

BOBST SPO 1600/160A/APR/160S/VISION


CUTTING CHASES, SYSTEMS AND CUTTING PLATES




T +31-164-67 44 49 | E info@perivo.com | www.perivo.com



105. SYNTHETIC FILLER PLATE
1 mm




106. SYNTHETIC COVERPLATES
Straight cut
Incl. hinges (nr. 108)




107. SYNTHETIC COVERPLATES
Diagonal cut
Incl. hinges (nr. 108)




108. SET OF HINGES




114. CHASE PLATE
In hardened and ground 3 mm inox




115. CHASE PLATE
In hardened and ground 3 mm inox.
With threaded holes M 5




133. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)
1 mm




135. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)
1,25 mm




137. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)
1,5 mm



139. HARD CUTTING PLATE
(HRC 48/HV 500)
In ground inox
1,4 mm



141. HARD CUTTING PLATE
(HRC 48/HV 500)
In ground inox
1 mm




**147. MICROMETRIC CONVERSION
FOR 1 MM CUTTING PLATES**
Including 2 micrometric blocks, special
bushes and plate nr. 159

BOBST SPO 1600/160A/APR/160S/VISION

CUTTING CHASES, SYSTEMS AND CUTTING PLATES




T +31-164-67 44 49 | E info@perivo.com | www.perivo.com




152. HARD CUTTING PLATE (HRC 50/HV 525)

In hardened and ground inox
4 mm (1600/160A/APR)




156. HARD CUTTING PLATE (HRC 50/HV 525)

In hardened and ground inox
7 mm (160Vision/160S)




157. HARD CUTTING PLATE (HRC 50/HV 525)

In hardened and ground inox
8 mm (160S)




159. SUPPORT PLATE


In hardened and ground inox
3 mm




191. CHASELOADER



105. SYNTHETIC FILLER PLATE
1 mm




106. SYNTHETIC COVERPLATES
Straight cut
Incl. hinges (nr. 108)




107. SYNTHETIC COVERPLATES
Diagonal cut
Incl. hinges (nr. 108)




108. SET OF HINGES




114. CHASE PLATE
In hardened and ground 3 mm inox




115. CHASE PLATE
In hardened and ground 3 mm inox.
With threaded holes M 5




133. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)
1 mm




139. HARD CUTTING PLATE
(HRC 50/HV 525)
In hardened and ground inox
1,35 mm




**147. MICROMETRIC CONVERSION
FOR 1 MM CUTTING PLATES**
Including 2 micrometric blocks, special
bushes and plate nr. 162



154. HARD CUTTING PLATE
(HRC 50/HV 525)
In hardened and ground inox
6 mm



162. SUPPORT PLATE
In hardened and ground inox
5 mm




**192. CHASELOADER WITH ELECTRIC
OPERATION**

IBERICA JR/JRK 105


CUTTING CHASES, SYSTEMS AND CUTTING PLATES




T +31-164-67 44 49 | E info@perivo.com | www.perivo.com




101. SYNTHETIC COVERPLATE
1 mm




102. 'SANDWICH' COVERPLATE
2 x 0,5 mm




111. CHASE PLATE
In hardened and ground 2 mm inox




119. CUTTING CHASE CLOSED WITH QUICK-LOCK
(modification)




122. CHASE PLATE
In hardened and ground 2 mm inox
(open cutting chase)




133. MEDIUM HARD CUTTING PLATE (HRC 35/HV 345)
1 mm




134. MEDIUM HARD CUTTING PLATE 4-SIDED (HRC 35/HV 345)
1 mm




135. MEDIUM HARD CUTTING PLATE (HRC 35/HV 345)
1,25 mm




136. MEDIUM HARD CUTTING PLATE 4-SIDED (HRC 35/HV 345)
1,25 mm



137. MEDIUM HARD CUTTING PLATE (HRC 35/HV 345)
1,5 mm



138. MEDIUM HARD CUTTING PLATE 4-SIDED (HRC 35/HV 345)
1,5 mm




139. HARD CUTTING PLATE (HRC 48/HV 500)
In ground inox
1,4 mm

IBERICA JR/JRK 105

CUTTING CHASES, SYSTEMS AND CUTTING PLATES




T +31-164-67 44 49 | E info@perivo.com | www.perivo.com




**140. HARD CUTTING PLATE 4-SIDED
(HRC 48/HV 500)**

In ground inox
1,4 mm




**141. HARD CUTTING PLATE
(HRC 48/HV 500)**

In ground inox
1 mm




**142. HARD CUTTING PLATE 4-SIDED
(HRC 48/HV 500)**

In ground inox
1 mm




159. SUPPORT PLATE

In hardened and ground inox
3 mm




**174. SYNTHETIC BED/RESOCELL
PLATE**


23,8 mm




191. CHASELOADER




101. SYNTHETIC COVERPLATE
1 mm




102. 'SANDWICH' COVERPLATE
2 x 0,5 mm




133. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)
1 mm




135. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)
1,25 mm



137. MEDIUM HARD CUTTING PLATE
(HRC 35/HV 345)
1,5 mm



139. HARD CUTTING PLATE
(HRC 48/HV 500)
In ground inox
1,4 mm



141. HARD CUTTING PLATE
(HRC 48/HV 500)
In ground inox
1 mm